

Accessibility Conformance Report

(Based on VPAT® Version 2.4)

KACE Desktop Authority

11.3.1

Contact Information:

Please contact http://support.quest.com with any questions about the accessibility of this product, or to notify us if an accessibility gap is limiting or would preclude your use of a product. This information will be communicated to the product's R&D team and will raise visibility of the issue.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline

Web Content Accessibility Guidelines 2.0
Web Content Accessibility Guidelines 2.1

Included In Report Level A, Level AA Level A, Level AA

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion.
- **Does Not Support**: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.

Report Date: January 29, 2024

Success Criteria, Level A

Criteria, Level A Conformance Level Remarks and Explanations

1.1.1 Non-text Content All non-text content that is presented to the user has a text alternative that serves the equivalent purpose, except in some limited situations (see link).

Supports

For all end user interfaces, Desktop Authority uses ALT attributes to provide a textual alternative to any image displayed.

1.2.1 Audio-only and Video-only (Prerecorded)

Except when the audio or video is a media alternative for text and is clearly labeled as such, for prerecorded audio-only media an alternative for time-based media is provided that presents equivalent information. For prerecorded video-only media, either an alternative for time-based media or an audio track is provided that presents equivalent information.

Not Applicable

1.2.2 Captions (Prerecorded)

Captions are provided for all prerecorded audio content in synchronized media, except when the media is a media alternative for text and is clearly labeled as such.

Not Applicable

1.2.3 Audio Description or Media Alternative (Prerecorded)

An alternative for time-based media or audio description of the prerecorded video content is provided for synchronized media, except when the media is a media alternative for text and is clearly labeled as such.

Not Applicable

1.3.1 Info and Relationships

Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.

Supports

1.3.2 Meaningful Sequence

When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.

Supports



1.3.3 Sensory Characteristics

Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, size, visual location, orientation, or sound.

Not Applicable

1.4.1 Use of Color

Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.

Partially Supports

Desktop Authority does not use color coding as the sole means of conveying information

1.4.2 Audio Control

If any audio on a Web page plays automatically for more than 3 seconds, either a mechanism is available to pause or stop the audio, or a mechanism is available to control audio volume independently from the overall system volume level.

Not Applicable

2.1.1 Keyboard

All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes, except where the underlying function requires input that depends on the path of the user's movement and not just the endpoints.

Support

Desktop Authority uses HTML and Javascript to provide all end user interfaces in the web console.

2.1.2 No Keyboard Trap

If keyboard focus can be moved to a component of the page using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, if it requires more than unmodified arrow or tab keys or other standard exit methods, the user is advised of the method for moving focus away.

Supports

Desktop Authority uses HTML and Javascript to provide all end user interfaces in the web console.

2.1.4 Character Key Shortcuts

If a keyboard shortcut is implemented in content using only letter (including upper- and lowercase letters), punctuation, number, or symbol characters, then either the keyboard shortcut is only active when that component has focus or a mechanism is available to turn the shortcut off or to remap the shortcut to use one or more nonprintable keyboard characters (e.g. Ctrl, Alt, etc).

Not Applicable



2.2.1 Timing Adjustable

For each time limit that is set by the content, the user is able to turn off, adjust, or extend the time limit, except with some specific exceptions (see link).

Not Applicable

2.2.2 Pause, Stop, Hide

For any moving, blinking or scrolling information that (1) starts automatically, (2) lasts more than five seconds, and (3) is presented in parallel with other content and for any auto-updating information that (1) starts automatically and (2) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it or to control the frequency of the update unless it is part of an activity where it is essential (see link).

Partially Supports

Desktop Authority does not use any blinking feature and does not provide user to control such actions

2.3.1 Three Flashes or Below Threshold

Web pages do not contain anything that flashes more than three times in any one second period, or the flash is below the general flash and red flash thresholds.

Not Applicable

2.4.1 Bypass Blocks

A mechanism is available to bypass blocks of content that are repeated on multiple Web pages.

Not Applicable

2.4.2 Page Titled

Web pages have titles that describe topic or purpose.

Supports

Well defined titles and text in we pages

2.4.3 Focus Order

If a Web page can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.

Does Not Support

2.4.4 Link Purpose (In Context)

The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined **Supports**

Links and Urls are well defined

Criteria, Level A

Conformance Level Remarks and Explanations

link context, except where the purpose of the link would be ambiguous to users in general.

2.5.1 Pointer Gestures (2.1 only)

All functionality that uses multipoint or pathbased gestures for operation can be operated with a single pointer without a path-based gesture, unless a multipoint or path-based gesture is essential. Not Applicable

2.5.2 Pointer Cancellation (2.1 only)

For functionality that can be operated using a single pointer, at least one of the following is true: the down-event of the pointer is not used to execute any part of the function; completion of the function is on the up-event, and a mechanism is available to abort the function before completion or to undo the function after completion; the up-event reverses any outcome of the preceding down-event; or completing the function on the down-event is essential (see link).

Not Applicable

2.5.3 Label in Name (2.1 only)

For user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Not Applicable

2.5.4 Motion Actuation (2.1 only)

Functionality that can be operated by device motion or user motion can also be operated by user interface components and responding to the motion can be disabled to prevent accidental actuation, except when the motion is used to operate functionality through an accessibility supported interface or the motion is essential for the function and doing so would invalidate the activity (see link).

Not Applicable

3.1.1 Language of Page

The default human language of each Web page can be programmatically determined.

Supports

3.2.1 On Focus

When any component receives focus, it does not initiate a change of context.

Does Not Support



Conformance Level

Remarks and Explanations

3.2.2 On Input

Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component.

Supports

All user changes are properly validated and come with appropriate prompts.

3.3.1 Error Identification

If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.

Supports

All errors have relevant details.

3.3.2 Labels or Instructions

Labels or instructions are provided when content requires user input.

Supports

4.1.1 Parsing

In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.

Partially Supports

4.1.2 Name, Role, Value

For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies.

Partially Supports

Success Criteria, Level AA

Criteria, Level AA

Conformance Level

Remarks and Explanations

1.2.4 Captions (Live)

Captions are provided for all live audio content in synchronized media.

Not Applicable



Criteria, Level AA

Conformance Level

Remarks and Explanations

1.2.5 Audio Description (Prerecorded)

Audio description is provided for all prerecorded video content in synchronized media.

Not Applicable

1.3.4 Orientation (2.1 only)

Content does not restrict its view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

Not Applicable

1.3.5 Identify Input Purpose (2.1 only)

The purpose of each input field collecting information about the user can be programmatically determined when the input field serves a purpose identified in the Input Purposes for User Interface Components section; and the content is implemented using technologies with support for identifying the expected meaning for form input data.

Supports All input fields have meaningful text

1.4.3 Contrast (Minimum)

The visual presentation of text and images of text has a contrast ratio of at least 4.5:1, except in some limited situations (see link).

Not Applicable

1.4.4 Resize text

Except for captions and images of text, text can be resized without assistive technology up to 200 percent without loss of content or functionality.

Partially Supports

Not all text and captions are resizeable

1.4.5 Images of Text

If the technologies being used can achieve the visual presentation, text is used to convey information rather than images of text except when the image of text can be visually customized to the user's requirements or a particular presentation of text is essential to the information being conveyed.

Not Applicable

1.4.10 Reflow (2.1 only)

Content can be presented without loss of information or functionality, and without requiring scrolling in two dimensions for vertical scrolling content at a width equivalent to 320px or Horizontal scrolling content at a height equivalent to 256px. Except for parts of the content which require two-dimensional layout for usage or meaning.

Not Applicable



Criteria, Level AA

Conformance Level

Remarks and Explanations

1.4.11 Non-text Contrast (2.1 only)

The visual presentation of user interface components and graphical objects has a contrast ratio of at least 3:1 against adjacent colors (see link).

Not Applicable

1.4.12 Text Spacing (2.1 only)

In content implemented using markup languages that support the following text style properties, no loss of content or functionality occurs by setting all of the following and by changing no other style property:

- Line height (line spacing) to at least 1.5 times the font size;
- Spacing following paragraphs to at least 2 times the font size;
- Letter spacing (tracking) to at least 0.12 times the font size;
- Word spacing to at least 0.16 times the font size.

Supports

Text is properly spaced

1.4.13 Content on Hover or Focus (2.1 only) Not Applicable

Where receiving and then removing pointer hover or keyboard focus triggers additional content to become visible/hidden, a mechanism is available to dismiss the additional content without moving pointer hover or keyboard focus; if pointer hover can trigger the additional content, then the pointer can be moved over the additional content without the additional content disappearing; and the additional content remains visible until the hover or focus trigger is removed, the user dismisses it, or its information is no longer valid (see link).

2.4.5 Multiple Ways

More than one way is available to locate a Web page within a set of Web pages except where the Web Page is the result of, or a step in, a process.

Supports

The Web pages are well navigated

2.4.6 Headings and Labels

Headings and labels describe topic or purpose.

Supports

Availability of user interface information including form headings is dependent on browser and Operating system used

2.4.7 Focus Visible

Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible.

Supports

3.1.2 Language of Parts

Supports



Criteria, Level AA

Conformance Level

Remarks and Explanations

The human language of each passage or phrase in the content can be programmatically determined except for proper names, technical terms, words of indeterminate language, and words or phrases that have become part of the vernacular of the immediately surrounding text.

3.2.3 Consistent Navigation

Navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.

Supports

The Web pages are well navigated

3.2.4 Consistent Identification

Components that have the same functionality within a set of Web pages are identified consistently.

Supports

3.3.3 Error Suggestion

If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.

Supports

Proper Alerts and Errors are displayed

3.3.4 Error Prevention (Legal, Financial, Data)

For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, either submissions are reversible; data entered by the user is checked for input errors and the user is provided an opportunity to correct them; or a mechanism is available for reviewing, confirming, and correcting information before finalizing the submission (see link).

Supports

All the user inputs before saving are validated.

4.1.3 Status Messages (2.1 only)

In content implemented using markup languages, status messages can be programmatically determined through role or properties such that they can be presented to the user by assistive technologies without receiving focus.

Supports

Accessibility to product functions via keyboard is dependent on the browser and Operating System used



Evaluation Methods Used:

Testing based on extensive product knowledge.

© 2021 Quest Software Inc. ALL RIGHTS RESERVED.

Quest, Quest Software, the Quest logo, and One Identity are trademarks and registered trademarks of Quest Software Inc. and its affiliates. All other trademarks are property of their respective owners.

